



## OVERVIEW


Primary Specification	
Registry:	Australia
Class:	BV / Special Service
Official Number/Unique Identifier:	OF859619
IMO Number:	862366
Length (Overall):	15.50m
Beam (Overall)	6.06m
Depth (Moulded):	2.25m
Draught	1.50m
Deck Load	25T
Deck Strength	4T/m
Bollard Pull Max:	7.4T
Speed	8.5kN

Propulsion System	
Propulsion:	2 x Bronze fixed pitch propellers
Main Engines:	2 x Volvo D9 MH/1
Gearboxes	2 x Twin Disc MG 5091 DC/3.82:1
Diameter	2 x 1050mm in nozzles
Steering System	Sperry Powered hydraulic
Deck Lay-out	
Anchor	75kg Pool
Chain	100m short link 13mm U2
Anchor Winch	Hand Operated
Deck Crane	Heila HLM 20-2S, 2.2T, 6.8m
Anchor Handling Winch	DMT 15T at 5m/min
Tow Hook	Disc Type 15T
Coupling Winches	2 x DMT manual 25T

The data on this specification is published in good faith and for general information purpose only. It does not warrant its accuracy or completeness and to the full extent allowed by law excludes liability.

## OVERVIEW

Tank capacities		Navigational/Communications	
Fuel Oil:	7.4m <sup>3</sup>	Sarchlight:	Den Haan 170W 24V
Ballast Water AFT:	10.2m <sup>3</sup>	Horn:	Ongaro
Ballast Water FWD	6.1m <sup>3</sup>	Fluxgate Compass:	Radio Zeeland Sigma 345
Fresh Water:	3.2m <sup>3</sup>	VHF Radio:	Sailor 2048
		GPS:	Furuno GP-32
		Echosounder:	Furuno LS-6100



The data on this specification is published in good faith and for general information purpose only. It does not warrant its accuracy or completeness and to the full extent allowed by law excludes liability.



(ONLY FOR USE WITH HOOK - SEA STATE - 0 - OR HARBOUR CONDITION)

